

CONTENTS

Preface	A3
The Current Status of Bulk Nanostructured Materials	1
T. G. Langdon	
Processing Sheets and Wires by Continuous High-Pressure Torsion	5
K. Edalati and Z. Horita	
The Role of Friction in Tubular Channel Angular Pressing	12
G. Faraji, M. Mosavi Mashhadi, S.-H. Joo and H. S. Kim	
Development of Ultrafine-Grained Zinc-Ferrite-Strengthened Aluminum Alloys by High-Energy Milling	19
U. Krupp, K. Mey, A. Giertler, G. Kaupp, H. U. Benz and H. Zoz	
Finite Element Analysis for Compression Behavior of High Pressure Torsion Processing	25
D. J. Lee, E. Y. Yoon, S. H. Lee, S.Y. Kang and H. S. Kim	
Grain Refinement in Copper via Cryogenic Deformation	31
T. N. Konkova, S. Yu. Mironov and A. V. Korznikov	
Gradient Microstructure in of FeCr₃₀Co₈ Hard Magnetic Alloy Subjected to Tension Combined with Torsion	36
A. Korneva, G. Korznikova and A. Korznikov	
The Microstructure of the Ni-Al-V Alloys Prepared by Levitation, Rapid Quenching and High Pressure Torsion	40
G. Korznikova, T. Czeppe and A. Korznikov	
Direct and Reverse Martensitic Transformation and Formation of Nanostructured States During Severe Plastic Deformation of Metastable Austenitic Stainless Steel	47
I. Yu. Litovchenko, A. N. Tyumentsev, M. I. Zahozheva and A V. Korznikov	
The Formation of Ultrafine Grained Structure in an Al-Mg-Sc Alloy by Equal Chanel Angular Pressing at 150 °C	54
A. A. Mogucheva, A. V. Dubyna and R.O. Kaibyshev	
Effect of Heat Treatment on Nanostructuring in High-Strength Aluminum Alloy by Severe Plastic Deformation	62
O. Situdikov, S. Krymskiy, M. Markushev, E. Avtokratova and T. Sakai	
Nanocrystalline S304H Austenitic Stainless Steel Processed by Multiple Fordging	68
M. Tikhonova, Y. Kuzminova, A. Belyakov and R. Kaibyshev	
Explosively Welded Materials Bond Zone: Morphology and Crystallography	74
V.V. Rybin, E.A. Ushanova, S.V. Kuzmin and V.I. Lysak	
Peculiarities of Ultrafine-Grained Structure Formation in Ti Grade-4 Using ECAP-Conform	78
A.V. Polyakov, I.P. Semenova, G.I. Raab, V.D. Situdikov and R.Z. Valiev	
Texture Analysis of ω - Phase Ti Subjected to High Pressure Torsion	85
V. Situdikov and I. Alexandrov	